sciendo

# Micelle-based restricted access ion-pair microextraction of phosphate at trace levels in water samples for separation, preconcentration and determination

Mustafa Soylak 1,2\*, Haldun Hilmi Gorucu<sup>1</sup> and Erkan Yilmaz<sup>2,3,4</sup>

### **Abstract**

A new and simple micelles-rich restricted access supramolecular solvent-based liquid phase microextraction method (RA-SUPRASs-LPME) based on the ion-pair complex formation of phosphate ( $PO_4^{-3}$ ) ions with ammonium heptamolybdate and malachite green in acidic medium was developed. The phosphate ion concentration after microextraction of the ion-pair complex to the hexagonal aggregates of decanoic acid (DA) was measured with micro-volume UV-Vis spectrophotometer at 625 nm. All analytical parameters which are effective on the method such as acid type and concentration, supramolecular solvent volume, amount of the components forming the complex, sample volume, were optimized. The preconcentration factor (PF), limit of detection (LOD) and limit of quantification (LOQ) for the developed method was found to be 15, 9.6 and 32.1, respectively. The RA-SUPRAs-LPME method was finally applied for the analysis of the phosphate content of different types of water samples.

**Keywords:** Microextraction, restricted access supramolecular solvent, UV-Vis spectrophotometer, phosphate, ammonium heptamolybdate, malachite green.

<sup>1</sup>Erciyes University, Faculty of Sciences, Department of Chemistry, 38039, Kayseri, Turkey

<sup>2</sup>Technology Research & Application Center (TAUM), Erciyes University, 38039 Kayseri, Turkey

<sup>3</sup>Erciyes University, Faculty of Pharmacy, Department of Analytical Chemistry, 38039 Kayseri, Turkey

<sup>4</sup>Erciyes University, Nanotechnology Research Center (ERNAM), 38039, Kayseri, Turkey

\*Corresponding author: M. Soylak E-mail: soylak@erciyes.edu.tr

DOI: 10.2478/ebtj-2020-0010

© 2020 Authors. This work was licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 4.0 License.

## Introduction

While the importance of phosphate was low in the previous centuries, phosphate has been of great importance in the last century in response to the rapid increase in world population and the need to the phosphate-based productions (1-3). Around 85% of phosphate rock is used for fertilizer production in the world and the remaining 15% is used in detergent, feed, paper, alloy, matches, food, water treatment, defense industry and chemical industry. While around 15% of phosphate consumption in developed countries is used outside the fertilizer industry, this level is between 0 and 4% in less developed countries (1-3).

Accurate analysis of phosphate in water samples and providing quantitative information of pollution levels is vital. The different methods have been developed for the separation-enrichment and determination of phosphate in water samples (1-5). Pena-Pereira et al. developed a method based on the enrichment of trace levels of phosphate by suspended drop microextraction and determination by micro-volume UV-Vis spectrophotometer. The method based on the ion-pair formation between 12–molipdophosphate and malachite green was extracted with micro-drop methyl isobutyl ketone followed by spectrophotometric analysis. They have been applied this method for the determination of phosphate in different freshwater samples (3).

Zaruba et al. provided a dispersive liquid–liquid microextraction based on solidification of a floating organic drop (DLLME-SFO) for the separation and preconcentration of orthophosphate at trace levels. The method mainly includes three steps; (I) formation of molybdoantimonatophosphoric heteropoly blue (HPB) complex of phosphate, (II) mi-

croextraction of the HPB complex to 55 µL of undecane-1-ol and (III) spectrophotometric analysis of the HPB complex (6).

Ara et al. combined carrier mediated three phase solvent bar liquid phase microextraction (TPSB-LPME) method with high performance liquid chromatography (HPLC) for simultaneous separation, preconcentration and analysis of dexamethasone sodium phosphate (DSP) at trace levels in human urine, plasma and bovine milk samples. In this method, dexamethasone sodium phosphate in acidic aqueous medium was firstly extracted into octane-1-ol phase containing 5 % (w/v) of Aliquat-336 as carrier located in the pores of a hollow fiber. Procedure was completed with the back extraction of the dexamethasone sodium phosphate into an alkali receiving phase (pH=10, 5 μL of 0.65 M NaClO<sub>4</sub>) located inside the lumen of the fiber. Analyses were carried out by injection of receiving phase into HPLC (7).

Divrikli et al. developed a solid phase extraction method for the separation and preconcentration of phosphate prior to its UV-Vis spectrophotometric determination. The method based on the formation of phosphomolybdate and its reduction to molybdenum blue. The phosphate complex retained on the Amberlite XAD-4 adsorbent was eluted with 10 mL acetone and analyzed with UV-Vis spectrophotometer at 732 nm (8).

Restricted access materials (RAMs) have found a wide range of applications for 20 years. They have mainly used as sorbents for the separation and preconcentration of organic, inorganic and bio-active species without interference from matrix components that are excluded by chemical, physical or physicochemical means (9, 10). The use of RAMs before detection systems eliminate sample pretreatment process have multiple steps (e.g. centrifugation, precipitation, residue dissolution, solvent evaporation, etc.) and tendency to increased sample output (11-13). The latest improvements in this area are related to design of more selective material and the development of simpler synthetic procedures of RAMs. Latest, SUPRASs have been shown to act as restricted access liquids. SUPRASs are classified as nanostructured liquids obtained from colloidal amphiphiles via spontaneous self-assembly and coacervation processes (14, 15). High density of binding sites they present to analytes and the different polar-regions within the nanostructures derived from the amphiphilic character of SUPRASs molecules that make them excellent extractors for analytes in a wide range of polarities (16-18).

In the presented work, the simple and cheap application capability of the phosphomolybdate method for the UV-Vis spectrophotometric phosphate was combined with restricted access features of micelles-rich alkyl carboxylic acid-based SUPRASs for the separation, preconcentration and analysis of phosphate traces in water samples.

## **Material and Method**

#### **Experimental instrumentation**

Measurements were made with UV-Vis spectrophotometer (Hitachi, USA) with micro quartz cuvettes. Sartorius PT-10 pH meter (Germany) with glass electrode was used for pH adjustment of the solutions. To provide the supramolecular solvent, Sonorex brand (Germany) DT-255 model ultrasonic water bath was utilized. Centrifuge (Hettich Rotofix 32 A, Buckinghamshire, England) was used to separate the cloudy solution formed at the microextraction stages. Deionised water had 18.2 M $\Omega$  cm resistivity was used during the experimental studies. Milipore MiliQ-Direct 18 model pure water device was used in obtaining deionised water.

### Reagents and solutions

Sodium dihydrogen phosphate (NaH2PO1) salt obtained from Merck (Darmstadt, Germany) was used in the preparation of the stock solution containing 10<sup>-3</sup> M phosphate anion. This solution was prepared by dissolving the appropriate amount of NaH-PO, salt in purified water. Decanoic acid was obtained from Sigma-Aldrich. Ion pair formation between ammonium heptamolybdate tetrahydrate and malachite green was carried out by using same method given in literature (19) as follows; 8.6 g of ammonium heptamolybdate tetrahydrate (Merck, Darmstadt, Germany) were taken up in a beaker and dissolved in deionised water (solution-I). Then, 8.6 mL of 98 % H<sub>2</sub>SO<sub>4</sub> solution (Merck, Darmstadt, Germany) with a density of 1.83 g⋅mL<sup>-1</sup>, 23 mg malachite green and 2.0 g of tartaric acid were added in the solution-I and last volume was completed to 100 mL with deionised water. The resulting mixture was dissolved in an ultrasonic bath and filtered through blue band filter paper. This solution named as auxiliary reagent was used in experimental studies.

## Preparation of the micelles-rich restricted access supramolecular solvent

Preparation of the restricted access supramolecular solvent was carried out as follows: 2.5 g of decanoic acid, 0.5 mL of THF and 10 mL of deionised water were placed in a 50 mL centrifuge tube, the resulting mixture was left in an ultrasonic bath for 5 min. In the meantime, nano and micro size cloudy micelles with restricted access properties were obtained. After centrifugation, the micelles-rich restricted access supramolecular solvent phase on the upper side and the water phase on the lower side were obtained. The micelles-rich restricted access supramolecular solvent phase was separated from the aqueous phase by a pipette and taken into another tube.

## RA-SUPRASs-LPME method

The developed RA-SUPRASs-LPME method is shown schematically on Figure 1. In this method, 600 μL of 4.5 M H<sub>2</sub>SO<sub>4</sub> and 1.0 mL of the auxiliary reagent forming the previously prepared were added to 15 mL of model solution medium (standard solution) containing known concentration of phosphate ions. 5 minutes were allowed in order to allow completing the complex formation. Then, 200 µL of the micelles-rich restricted access supramolecular solvent was added into this solution and the resulting mixture was sonicated 5 min. Formation of a cloudy solution was observed which indicated formation of the nano and micro-sized extraction droplets (17). This solution was centrifuged




Figure 1. Graphical presentation of the presented RA-SUPRASs-LPME method.

at 4000 rpm for 10 min. The upper extraction solvent phase was transferred to another centrifuge tube by using a micropipette and the volume was made up to 1.0 mL with ethanol. The final phosphate concentration was measured by UV-Vis spectrophotometer at 625 nm. The same procedures were carried out in blank and standard solutions to obtain calibration curve.

#### Application to environmental water samples

In order to evaluate the applicability of the developed RA-SU-PRASs-LPME method to environmental water samples, lake water in biological wastewater treatment plant exit area (Kayseri city, Turkey), natural spring water from village (Kayseri city, Turkey) and mountain-wrapped lake water sample (Kayseri city, Turkey) were collected by glass bottles and stored at 4 °C. Water samples collected were filtered through a PTFE syringe filter (0.45  $\mu m$ , Osmonics) and subjected to the RA-SUPRASs-LPME method.


## **Results**

## Effect of the concentration of H<sub>2</sub>SO<sub>4</sub>


Ion-pair complex formation of phosphate ions with ammonium heptamolybdate and malachite green occurs in acidic medium solution. In our method,  $\rm H_2SO_4$  was used to form acidic sample medium. Hence, the influences of the concentration of  $\rm H_2SO_4$  in the range of 0.06-0.24 M on the extraction efficiencies of the presented RA-SUPRASs-LPME system were investigated. The results are depicted on **Figure 2**. The quantitative recoveries for phosphate ions were obtained in the concentration of  $\rm H_2SO_4$  in the range of 0.18-0.21 M. Therefore, 0.18 M  $\rm H_2SO_4$  was selected as optimal value for the further step of the presented study.

#### Effect of the volume of ion pair forming auxiliary solution

Molybdophosphate complex formation related with the phosphate ion concentration and ion pair forming auxiliary solution concentration. If the concentration of ion pair forming auxiliary solution is lower than the minimum concentration that can form complex with phosphate ion, free phosphate ions will be present in the medium and quantitative extraction efficiency will not be achieved. To develop an accurate analytical method for the analysis of phosphate ions, it is necessary to find the optimum concentration of ion pair forming auxiliary solution. The effects of the volume of ion pair forming auxiliary solution including ammonium heptamolibdate and malachite green which prepared according to literature (19)



**Figure 2.** The effect of the concentration of  $H_2SO_4$  on the recovery of phosphate ions in the presented study (N=3).



**Figure 3.** The effect of the volume of ion pair forming auxiliary solution on the recovery of phosphate ions (N=3).

The EuroBiotech Journal 91




Figure 4. The effect of amount of decanoic acid on the recoveries of phosphate ions in the presented microextraction study (N=3).

were investigated in the volume range of 250-1250 μL. The results are given on Figure 3. The quantitative recoveries of phosphate ions were obtained by addition of ion pair forming auxiliary solution in the volume range of 1000-1250 µL. Hence, 1250 µL was selected as an optimal value and was used for further studies.

## Effect of the amount of decanoic acid

Since the main component of the micelles-rich restricted access supramolecular solvent phase is decanoic acid, the increase in the amount of decanoic acid leads to an increase in the nano and/or micro-sized micelles and hence the extraction efficiency. The influences of amounts of decanoic acid on the formation of the micelles-rich restricted access supramolecular solvent phase and the extraction efficiencies of phosphate ions in the presented microextraction system were investigated in the range of 50-250 mg. The results are depicted on Figure 4. The quantitative recovery values for phosphate ions were obtained with the addition of decanoic acid in the range of 175-225 mg. For the further studies, 200 mg of decanoic acid was selected as optimal value.

### Effect of the volume of tetrahydrofuran

Tetrahydrofuran is one of the most commonly used solvents in the formation of supramolecular solvent systems, since it facilitates the formation of micelles and nanoscale micelles and consequently increases extraction yields (17). Hence we used THF to obtain micelles-rich restricted access supramolecular solvent phase. The effect of THF volume on recovery efficiencies was also investigated. The developed method was applied to the model solutions prepared for this purpose. The results are given on Figure 5. The quantitative recovery efficiency was obtained when 250 µL of THF was used. 250 µL of THF was determined as the optimum working value and the experiments were performed on this value in the following studies.

## Effect of the sample volume

The application of the method to the highest possible sample volume is an important and critical factor in the separation




Figure 5. The effect of tetrahydrofuran volume on the recoveries of phosphate ions in the presented microextraction study (N=3).

and preconcentration studies, in enabling the determination of the lowest possible analyte concentration and obtaining a high enrichment factor (20-24). Therefore, the developed RA-SUPRASs-LPME method was applied to the model solutions ranging from 7.5-20 mL. Quantitative recovery efficiencies were obtained up to 15 mL sample volume for phosphate ions. Hence 15 mL of the samples studied was subjected to the developed RA-SUPRASs-LPME method.

#### Effect of extraction time

In order to form nano or micro-sized extraction droplets, RA-SUPRASs-LPME experiments were carried out an ultrasonic bath. Model solutions prepared were subjected to ultrasonic irritation between 1 and 10 min. Quantitative extraction efficiency was obtained with effective cloudy phases occurring at periods of 5 min and above exposure to ultrasonic vibration. Therefore, for next experimental stages, samples were subjected to ultrasonic irritation for 5 min.

#### Effect of the foreign ions

The effects of matrix components of the real samples are an important problem in the instrumental detection of analytes (25-32). The effect of some alkaline earth, alkali metals and some anions which could have a matrix effect on the RA-SU-PRASs-LPME method was also investigated under optimum conditions. These ions were studied because they are the most common ions found in environmental water samples. The results are given in Table 1. It is determined that the matrix ions do not have a disruptive effect on the recovery values of phosphate at the studied levels in Table 1. At the matrix ion concentrations above these levels, the recovery values of phosphate are not quantitative. Hence, real samples for the applicability of the RA-SUPRASs-LPME method were selected by considering these results.

#### **Discussions**

Phosphate is mainly released to the water environment by industry, municipal resources and over-fertilization. Excessive discharge of phosphate into the nature increases the effect of

Table 1. The effect of alkali, alkaline earth metals and some selected anions on the RA-SUPRASs-LPME method (N = 3)

lon	Added Salt	Studied concentration, mg·L <sup>-1</sup>	Recovery, %
Na⁺	NaNO <sub>3</sub>	2500	102±0
K⁺	KCI	1000	97±1
Mg <sup>2+</sup>	Mg(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O	250	98±3
Ca <sup>2+</sup>	Ca(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O	500	100±2
Cl <sup>-</sup>	KCI	1000	97±1
SO <sub>4</sub> <sup>2-</sup>	Na <sub>2</sub> SO <sub>4</sub>	1000	102±0

eutrophication in surface waters due to its biochemical processes that increase plant growth leading to increased concerns. In the presented work, we promise a new methodology including separation and preconcentration of phosphate by using our RA-SUPRASs-LPME method for the spectrophotometric determination of phosphate from natural water samples.


The limit of detection (LOD) was obtained by dividing 3 times the standard deviation (3SD) of the UV-Vis absorbance values obtained from the analysis of seven replicates blank samples to the slope (m) of the calibration curve, while the limit of quantification (LOQ) was obtained by dividing 10 times the standard deviation (10SD) of the UV-Vis absorbance values obtained from the analysis of seven replicates blank samples to the slope (m) of the calibration curve.

The preconcentration factor (PF) was calculated by dividing the highest sample volume by which the method can be applied to the final volume. The reproducibility was investigated on the addition-recovery experiments for the environmental water samples under the optimized conditions and calculated as relative standard deviation (RSD %). LOD, LOQ, and PF values were found as 9.6  $\mu g \cdot L^{-1}$ , 32.1  $\mu g \cdot L^{-1}$ , and 15 respectively. The relative standard deviations (RSDs %) were found in range of 0.44 and 3.5 %. The calibration curve with spectrum belong to

increasing phosphate concentration shown on Figure 6 was obtained under optimized conditions. Coefficient of correlation  $(R^2)$  was found as 0.9955.

The applicability of the RA-SUPRASs-LPME method to real samples was tested by determining the phosphate content of various environmental water samples. The developed RA-SU-PRASs-LPME method was applied to lake water (lake water-I) in biological wastewater treatment plant exit area, village natural spring water and another mountain-wrapped lake water sample (lake water-II). For this purpose, known concentrations of phosphate ion were added to these environmental water samples, developed method was applied and recovery studies were performed. The results are shown in Table 2. When the results are examined, it is seen that recovery results varying between 94% and 102% are obtained. The results show that our method can be applied successfully for selected water samples. In this way, the accuracy of our method has been proved for the studied environmental water samples.

We compared our RA-SUPRASs-LPME method with other methods in the literature in Table 3. Although the preconcentration factor and the limit of detection of our method is low, the most important advantages are that high repeatability and the extraction time is generally shorter than other methods so that the extraction equilibrium can be reached in a very short






Figure 6. The calibration curve (A) and UV-Vis spectrum belong to increasing phosphate concentration (B).

The EuroBiotech Journal

time due to formation of the very effective nano or micro-sized micelles-rich restricted access supramolecular solvent drops. Also, our method has many advantages in term of low consumption of SUPRASs, high extraction efficiency, short extration and analysis times, no necessity expensive and complex laboratory equipments in the extraction and analysis stages simplicity, good precision and eco-friendly.

### **Conclusions**

In this paper, a micelles-rich restricted access supramolecular solvent based microextraction method (RA-SUPRASs-LPME) was used for the separation and preconcentration of the phosphate in environmental water samples prior to micro-volume UV-Vis spectrophotometric analysis. Due to some advantages like high extraction efficiency, short extraction and analysis

Table 2. Application of the RA-SUPRASs-LPME method for determination of phosphate in real water samples (N=3).

Sample	Added, μg·L <sup>-1</sup>	Found, μg·L <sup>-1</sup>	Recovery, %
	0	264±2°	-
Lake water-I	66	334±8	101
	132	402±14	102
	0	260±4	-
Spring water	100	358±2	99
	200	450±2	98
	0	276±4	-
Lake water-II	66	326±2	95
	132	432±2	94

a: mean ±SD.

Table 3. Comparison of the RA-SUPRAs-LPME method with other phosphate determination methods in literature studies

Extraction method	Analysis instrument	Samples	LOD, μg L <sup>-1</sup>	RSD, %	PF or EF	Extraction time, min	Ref
DSDME	UV-Vis spectrophotometer	Mineral waters	0.19	2.7	325	7.5	3
-	Online UV-Vis spectrophotometer	Natural waters	1.3	0.8-5.6	-	-	5
DLLME-SFO	UV-Vis spectrophotometer	Tap and river waters	0.7	1.23-6.15	50	10	6
SPE	UV-Vis spectrophotometer	Fruit leaves and natural waters	2.23	2	-	30	8
СРЕ	UV-Vis spectrophotometer	Tap, well and mineral waters	0.5	1.4	20	20	31
SPE	UV-Vis spectrophotometer	-	0.04	0.38	147.9	60	35
On-line SPE	flow-injection amperometry	Fresh and Marine waters	0.18	5.2-5.9	18	-	36
RA-SUPRAs- LPME	UV-Vis spectrophotometer	Lake and spring water	9.62	0.44-3.5	15	10	This study

DSDME: Directly suspended droplet microextraction, DLLME-SFO: Dispersive liquid-liquid microextraction based on solidification of a floating organic drop, SPE: Solid phase extraction, CPE: Cloud point extraction.

times, green methodology, our method can be used for the routine phosphate analysis in different laboratories.

### Acknowledgement

The authors are grateful for the financial support of the Unit of the Scientific Research Projects of Erciyes University (FYL-2016-6460) (Kayseri, Turkey).

#### **Conflict of Interest**

The authors declare that they have no conflicts of interest.

### **Ethical Compliance**

This article does not contain any studies involving human participants or animals performed by any of the authors.

#### References

- Kumar MS, Galil MSA, Suresha MS, Sathish MA, Nagendrappa G. A simple spectrophotometric determination of phosphate in sugarcane juices, water and detergent samples. J Chem-NY. 2007;4(4):467-73.
- Herring JR, Fantel RJ. Phosphate rock demand into the next century: impact on wolld food supply. Nonrenewable Resources 1993;2(3):226-246.
- Pena-Pereira F, Cabaleiro N, De la Calle I, Costas M, Gil S, Lavilla I, Bendicho C. Directly suspended droplet microextraction in combination with microvolume UV–vis spectrophotometry for determination of phosphate. Talanta 2011;85(2):1100-1104.
- Najafi A, Hashemi M. Vortex-assisted natural deep eutectic solvent microextraction using response surface methodology optimization for determination of orthophosphate in water samples by molybdenum blue method. J Sep Sci. 2019 in press. doi:10.1002/ issc.201900457.
- Nagul EA, McKelvie ID, Kolev SD. The use of on-line UV photoreduction in the flow analysis determination of dissolved reactive phosphate in natural waters. Talanta 2015;13:155-61.
- 6. Zaruba S, Vishnikin AB, Andruch V. Application of solidification of floating organic drop microextraction for inorganic anions: Determination of phosphate in water samples. Microchem J. 2015:122:10-5.
- Ara KM, Akhoondpouramiri Z, Raofie F, Carrier mediated transport solvent bar microextraction for preconcentration and determination of dexamethasone sodium phosphate in biological fluids and bovine milk samples using response surface methodology. J Chromatogr B 2013;931:148-56.
- Divrikli U, Akdogan A, Soylak M, Elci L. Factorial Design for Multivariate Optimization of Preconcentration System for Spectrophotometric Phosphorus Determination. Talanta 2009;79:1287-91.
- Sadílek P, Šatínský D, Solich P. Using restricted-access materials and column switching in high-performance liquid chromatography for direct analysis of biologically-active compounds in complex matrices. TrAC- Trend Anal Chem 2007;26(5):375-84.
- Puoci F, Iemma F, Cirillo G, Curcio M, Parisi OI, Spizzirri UG, Picci N. New restricted access materials combined to molecularly imprinted polymers for selective recognition/release in water media. Eur Polym J. 2009;45(6):1634-40.
- Boos KS, Fleischer C. Multidimensional on-line solid-phase extraction (SPE) using restricted access materials (RAM) in combination with molecular imprinted polymers (MIP). Fresenius' Journal of Analytical Chemistry 2001;371(1):16-20.
- Chico J, Meca S, Companyó R, Prat MD, Granados M. Restricted access materials for sample clean-up in the analysis of trace levels of tetracyclines by liquid chromatography: Application to food and environmental analysis. J Chromatogr A 2008;1181(1-2):1-8.

- He J, Song L, Chen S, Li Y, Wei H, Zhao D, Zhang S. Novel restricted access materials combined to molecularly imprinted polymers for selective solid-phase extraction of organophosphorus pesticides from honey. Food Chem. 2015;187:331-37.
- Ballesteros-Gómez A, Rubio S. Environment-responsive alkanol-based supramolecular solvents: characterization and potential as restricted access property and mixed-mode extractants. Anal Chem. 2011;84(1):342-49.
- García-Fonseca S, Ballesteros-Gómez A, Rubio S. Restricted access supramolecular solvents for sample treatment in enzyme-linked immuno-sorbent assay of mycotoxins in food. Anal Chim Acta 2016:935:129-35.
- Salatti-Dorado JÁ, Caballero-Casero N, Sicilia MD, Lunar ML, Rubio S. The use of a restricted access volatile supramolecular solvent for the LC/MS-MS assay of bisphenol A in urine with a significant reduction of phospholipid-based matrix effects. Anal Chim Acta 2017:950:71-9.
- Caballero-Casero N, Çabuk H, Martínez-Sagarra G, Devesa JA, Rubio S. Nanostructured alkyl carboxylic acid-based restricted access solvents: Application to the combined microextraction and cleanup of polycyclic aromatic hydrocarbons in mosses. Anal Chim Acta 2015;890:124-33.
- Caballo C, Sicilia MD, Rubio S. Supramolecular solvents for green chemistry, In The Application of Green Solvents in Separation Processes. Elsevier 2017: 111-37.
- Monroy CA, Mackie DI, Roman DL. A high throughput screen for RGS proteins using steady state monitoring of free phosphate formation. PloS One 2013;8(4):e62247.
- 20. Shokrollahi A, Ghaedi M, Hossaini O, Khanjari N, Soylak M., Cloud Point Extraction and Flame Atomic Absorption Spectrometry Combination for Copper(II) in Environmental and Biological Samples. Journal of Hazardous Materials 2008; 160: 435-40.
- Roy D, Malik S, Mondal S, Saha S, Sarkar R, Mishra S, Barman MK, Chatterjee M, Mandal B. 8-Hydroxyquinoline Anchoring 3-D Networking Silica Gel Utilizing Its HOMO as a Metal Trapping Center for Selective Sample Cleanup of Cu(II), Cr(III), and Co(II) and Chemical Speciation of Sorbed Species. J. Chem. Eng. Data 2019; 64: 5356-72.
- Ozkantar N, Soylak M, Tuzen M. Spectrophotometric Detection of Rhodamine B in Tap Water, Lipstick, Rouge, and Nail Polish Samples after Supramolecular Solvent Microextraction. Turkish Journal of Chemistry 2017; 41: 987-94.
- 23. Mahmood AR, Abdallah IQ, Alheety MA, Akbaş H, Karadag A. N, O-rich graphene oxide based eggshell membrane polymer: Preparation, characterization and its utility as nano sorbent for solid phase extraction of Pb (II) in various water samples. AIP Conference Proceedings 2019; 2144: 020003. https://doi.org/10.1063/1.5123060
- Thongsaw A, Sananmuang R, Udnan Y, Ampiah R.J. Immobilized Activated Carbon as Sorbent in Solid Phase Extraction with Cold Vapor Atomic Absorption Spectrometry for the Preconcentration and Determination of Mercury Species in Water and Freshwater Fish Samples. Anal. Sci. 2019; 35: 1195-1202.
- Asfaram A, Ghaedi M, Goudarzi A, Soylak M, Langroodi SM. Magnetic Nanoparticles Based Dispersive Micro-solid-phase Extraction for the Determination of Malachite Green in Water Samples: Optimized Experimental Design. New Journal of Chemistry 2015; 39: 9813-23.
- Ozyurt C, Ustukarci H, Evran S, Telefoncu A. MerR-fluorescent protein chimera biosensor for fast and sensitive detection of Hg2+ in drinking water. Biotechnology and Applied Biochemistry 2019; 66: 731-7.
- Cakir K, Erkmen C, Uslu B, Gunden Goger N. Quantitative determination of paracetamol, caffeine and codeine phosphate in pharmaceutical dosage forms by using capillary electrophoresis method. Revue Roumaine de Chimiei 2019; 64: 801-8.

The EuroBiotech Journal 95

- 29. Kamel AH, Amr AEGE, Al-Omar MA, Elsayed EA, Pre-Concentration Based on Cloud Point Extraction for Ultra-Trace Monitoring of Lead (II) Using Flame Atomic Absorption Spectrometry. Appl. Sci. 2019; 9: 4752. doi:10.3390/app9224752
- 30. Soylak M, Armagan F, Elci L, Dogan M. A New Preconcentration and Separation Method for Flame Atomic Absorption Spectrometric Determinations of Some Trace Metal lons on a Diaion HP-20 Column. Annali di Chimica (Rome) 2001; 91: 637-647.
- 31. Afkhami A, Norooz-Asl R. Cloud point extraction for the spectrophotometric determination of phosphorus (V) in water samples. J Hazard Mater 2009;167(1-3):752-55.
- Kamboh MA, Ibrahim WAW, Nodeh HR, Zardari LA, Sanagi MM. Fabrication of calixarene-grafted magnetic nanocomposite for the effective removal of lead(II) from aqueous solution. Environmental Technology 2019; 40(19):2482-2493, DOI: 10.1080/09593330.2018.1444100
- 33. Ghaedi M, Shokrollahi A, Niknam K, Niknam E, Rajabi HR, Soylak M. Flame Atomic Absorption Spectrometric Determination of Trace Amounts of Heavy Metal Ions after Solid Phase Extraction Using Modified Sodium Dodecyl Sulfate Coated on Alumina. Journal of Hazardous Materials 2008; 155: 121-127.
- Shirkhanloo H, Merchant K, Mobarake MD. Ultrasound-assisted Solid-liquid Trap Phase Extraction based on Functionalized Multi Wall Carbon Nanotubes for Preconcentration and Separation of Nickel in Petrochemical Waste Water. Journal of Analytical Chemistry 2019; 74: 865-876.
- 35. Ozkutuk EB, Ersöz A, Denizli A, Say R. Preconcentration of phosphate ion onto ion-imprinted polymer. J Hazard Mater. 2008;157(1):130-36.
- Udnan Y, McKelvie ID, Grace MR, Jakmunee J, Grudpan K. Evaluation of on-line preconcentration and flow-injection amperometry for phosphate determination in fresh and marine waters. Talanta 2005;66(2):461-466.