DOI: 10.1515/aiht-2017-68-2904

Original article

The influence of shear stress on the adhesion capacity of Legionella pneumophila

Martina Oder, Rok Fink, Klemen Bohinc, and Karmen Godič Torkar

Faculty of Health Sciences, University of Ljubljana, Ljubljana, Slovenia

[Received in October 2016; Similarity Check in October 2016; Accepted in May 2017]

Bacterial adhesion is a complex process influenced by many factors, including hydrodynamic conditions. They affect the transfer of oxygen, nutrients, and bacterial cells in a water supply and cooling systems. The aim of this study was to identify hydrodynamic effects on bacterial adhesion to and detachment from stainless steel surfaces. For this purpose we observed the behaviour of bacterium *L. pneumophila* in no-flow and laminar and turbulent flow conditions simulated in a fluid flow chamber. The bacterial growth in no-flow and laminar flow conditions was almost identical in the first 24 h, while at 48 and 72 h of incubation, the laminar flow stimulated bacterial growth. In the second part of this study we found that laminar flow accelerated bacterial adhesion in the first 48 h, but after 72 h the amount of bacterial cells exposed to the flow dropped, probably due to detachment. In the third part we found that the turbulent flow detached more bacterial cells than the laminar, which indicates that the strength of shear forces determines the rate of bacterial removal.

KEY WORDS: bacterial growth; flow chamber; laminar flow; turbulent flow

Legionellosis is a disease caused by the gram-negative bacteria of the genus *Legionella*. It manifests itself as two distinct clinical syndromes: Legionnaires' disease and Pontiac fever. It spreads through inhalation of aerosols from devices such as cooling towers, hot tubs, industrial equipment, and indoor fountains (1-3).

Legionellae are ubiquitous in natural and artificial water environments worldwide and can survive extreme environmental conditions (4). Present in natural aquatic environments in low concentrations, Legionellae may enter storage tanks and water supply systems, whose physical and chemical conditions stimulate their growth (5). An important measure against their proliferation is preventing their biofilm formation, because once the biofilm has been formed, it is difficult to remove it from complex piping systems.

The first step in the formation of a biofilm is the adhesion of bacteria to surfaces. Once attached to a surface, the bacteria communicate with extracellular signals, merge, and form biofilms (6). Bacterial adhesion presents a significant problem in food and pharmaceutical industry as well as building maintenance (7-13).

Bacterial adhesion to surfaces has been studied since 1936 (14), but we still do not know everything about the formation of biofilms. Bacterial adhesion is a complicated process influenced by many factors: bacterial properties (hydrophobicity, flagellation, and motility), surface properties (hydrophobicity and roughness), and environmental factors such as temperature, pH, presence

Correspondence to: Karmen Godič Torkar, University of Ljubljana, Faculty of Health Sciences, Department for Sanitary Engineering, Zdravstvena pot 5, 1000 Ljubljana, Slovenia, e-mail: karmen.torkar@zf.uni-lj.si

of nutrients for bacteria, and hydrodynamic conditions (15, 16). Flow of water determines the transport of nutrients, oxygen, and bacterial cells that can form a biofilm (17).

One flow force that can greatly influence the physical properties of biofilms, such as density and strength, is the shear stress. Liu and Tay (18) found that biofilms exposed to high shear stress were denser than those exposed to low shear. Stoodley et al. (19) have determined that shear increases at greater unidirectional flows and that biofilm cell clusters become elongated in the downstream direction to form filamentous streamers. In contrast, Joseph et al. (20) report that the *Legionella* bacteria rapidly multiply in stationary water conditions at 20 °C to 45 °C.

The aim of our study was to establish how hydrodynamic conditions affect the growth and adhesion of *Legionella pneumophila*. We also wanted to establish the potential of shear stress in detaching the bacteria to see if it could be used to control adhesion.

MATERIALS AND METHODS

Bacteria

We conducted our experiment on the standard strain of *Legionella pneumophila* subsp. *pneumophila* ATCC 33153 (*L. pneumophila*), obtained from the Czech Collection of Microorganisms (CCM, Brno, Czech Republic). *Legionellae* are Gram-negative microaerophiles with respiratory metabolism that do not encapsulate or sporulate. They are 2-20 µm long and 0.3-0.9 µm wide (21). Most of the known species have one or more flagella (22).

Bacterial growth, zeta potential, and contact angle

To measure bacterial growth we incubated L. pneumophila in a buffered charcoal yeast extract (BCYE) medium with the addition of cysteine at 36 °C for 24, 48, and 72 h in accordance with the ISO standard 11731:1998 (23). One part was cultured in no-flow conditions (incubator) and another part in laminar flow conditions (flow chamber, Figure 1), in which the bacterial suspension circulated at a constant flow rate of Q_{max} =20 mL min⁻¹.

The attachment of microbial cells to the surfaces depends of many factors. One is the negative charge of the bacterial cell surface that interacts with positively charged material surfaces to which the bacteria attach. Simply put, the higher the charge the greater the interaction with the positively charged surfaces (24, 25). This interaction is known as electrophoretic (electrokinetic) mobility or zeta potential, which we measured with a Zetasizer Nano ZS (Malvern Instruments Ltd, Worcestershire, United Kingdom) and calculated according to the equation by Helmholtz-von Smoluchowski (25, 26). It is an indirect measure of net bacterial cell surface charge. To do that we centrifuged 24-hour bacterial culture at 10,000×g for 10 min, resuspended the cells in a phosphate buffer solution (pH 7), and repeated centrifugation three times to separate the cells from the liquid medium. In the last step, we resuspended bacterial sediment in 7 mL of PBS buffer (0.026 g KH,PO₄, 0.047 g K,HPO₄ in 1 L).

Another important factor affecting bacterial adhesion (attachment) is the contact angle of the bacterial cells, which tells us whether the bacterium is hydrophilic or hydrophobic (27). Hydrophobic cells adhere more strongly to hydrophobic surfaces, while hydrophilic cells prefer hydrophilic surfaces (28, 29). Bacterial hydrophobicity was determined as described earlier by Bohinc et al. (26) and Kurinčič et al. (30). Sample preparation was the same as described above.

After centrifugation, the cells were resuspended in 5 mL of pH 7 PBS buffer and we added 1 mL of xylene to 2.5 mL of bacterial cell suspension, mixed on a vortex mixer for 2 min and incubated at 20 °C for 20 min to allow for separation of the two phases. The absorbance of bacterial suspension in PBS buffer and the lower aqueous phase were measured at the wavelength of 620 nm. Contact angle was calculated with the following formula:

 $h=(A_i-A_f)/A_i$

where h is hydrophobicity rate, A_i the absorbance of the initial bacterial suspension, and A_f the absorbance of the aqueous phase after mixing with xylene (26).

Flow chamber measurements

To measure bacterial growth, attachment, and detachment we used a flow chamber with external dimensions of 399x325x265 mm (31). Figure 1 shows the heating/cooling chamber on the left and the flow cell with connector for turbulent and laminar flows on the right. For flow we used two peristaltic pumps: one for laminar flow with the flow rate of Q_{max} =20 mL min⁻¹ and one for the turbulent flow rate of Q_{max} =1200 mL min⁻¹.

Laminar flow effect on bacterial adhesion

L. pneumophila colonies were counted on plates after 24, 48, and 72 h. For the medium we used 1 mL of serial 10-fold dilution with 0.9% NaCl solution (from 10^{-4} to 10^{-9}) mixed with melted nutrient agar.

To measure the effects of laminar flow on the adhesion of L. pneumophila we inserted clean and sterile 2 mm thick 20×20 mm AISI 304 stainless steel coupons (Iskra Pio, Šentjernej, Slovenia) into the flow chamber and exposed them to the bacterial culture in liquid medium. The surface topography of the coupons was analysed with atomic force microscopy (AFM VEECO Dimension 3100, CSInstruments,



Figure 1 The system of liquid flow chamber with a cooling / heating unit (left), a polyethylene tray (right) and a peristaltic pump to determine the effect of laminar and turbulent flow on the attachment and detachment of microorganisms from material surfaces

Les Ulis, France). The coupons were rinsed with 300 mL of bacterial culture (5.5 log CFU mL⁻¹) using a peristaltic pump with constant laminar flow rate of 20 mL min⁻¹ at 36 °C. Adhesion was measured after 24, 48, and 72 h by staining the coupons with bacterial cells with 3 mL of 0.1 % crystal violet suspension (Merck, Darmstadt, Germany) at room temperature for 3 min. The coupons were then rinsed three times with PBS buffer. The dye in the cells was remobilised in 2 mL 96 % ethanol. The absorbance of the dye solution was measured spectrophotometrically at the wavelength of 620 nm with a microplate reader Infinite 200® PRO (Tecan GmbH, Gröding, Austria). For negative control we used four samples of metal coupons without bacteria.

Laminar and turbulent flow effects on bacterial detachment

To measure the effects of laminar and turbulent flow on bacterial detachment, we exposed the coupons to bacterial cultures in the ratio of 1:30 and incubated them in 6-well microtiter plates at 36 °C for 72 h. After a 72-hour incubation, the coupons were exposed to the laminar flow of 1 L PBS buffer at a constant rate of 20 mL min⁻¹ or to the turbulent flow of 1200 mL min⁻¹ or to no-flow conditions with PBS buffer. Optical density was determined using the crystal violet assay as described above. For negative control we used metal coupons without bacteria and exposed them to the same conditions.

Statistical analysis

Statistical analysis was run on R software version 3.1.3 (Bell Laboratories, New Jersey, NJ, USA). It included paired Student's *t*-test of average optical densities of the

attached and detached bacteria. The significance level was set at p<0.05.

RESULTS AND DISCUSSION

Zeta potential, contact angle, and bacterial growth

Our measurements have shown that *L. pneumophila* is hydrophilic (h=43 %). The contact angle of the brushed metal coupons was 74°, which means that the coupon surfaces were hydrophilic too and that the adhesion should be stronger. The cell-specific fimbriae and flagella (32) of *L. pneumophila* compensate for the hydration force between the cell and the material surface (33).

Figure 2 shows that no-flow conditions did not simulate bacterial growth, which is in contrast with the findings reported by Joseph et al. (20). The growth curves for no-flow and laminar flow conditions were almost identical in the first 24 h, while at 48 and 72 h of incubation, laminar flow stimulated bacterial growth, and the difference in CFU between no flow and laminar flow was about 0.4 log CFU mL⁻¹.

Laminar flow effect on bacterial adhesion

The second experiment aimed at determining the effects of laminar flow on *L. pneumophila* adhesion to metal coupons. Figure 3 shows adhesion under laminar flow and no-flow conditions. In the first 24 and 48 h of incubation, bacterial adhesion was higher under laminar flow, but after 72 h, adhesion was higher under no-flow conditions. Differences in adhesion (determined through optical density) between no flow and laminar flow were statistically significant for all three incubation times (Table 1). In no-




Figure 2 L. pneumophila growth curve in no-flow and laminar flow conditions




Figure 3 L. pneumophila adhesion on metal coupons in no-flow and laminar flow conditions; OD_{620} - optical density of CV dye; *p<0.05




Figure 4 The effect of turbulent and laminar flow on the removal of adherent L. pneumophila subsp. pneumophila ATCC 33152 (expressed as the OD_{620} of CV dye) from the surface of metal coupons after 72 hours of incubation at a temperature of 36 °C; OD_{620} - optical density of CV dye; *p<0.05

Table 1 Differences in optical density between cells attached to metal coupons in no-flow, laminar flow, and turbulent flow conditions (Student's t-test)

Effects of laminar flow on the adhesion of L. pneumophila							
Time of incubation	OD no flow	OD laminar	Difference in OD	<i>t</i> -value			
24 hour	0.08	0.10	0.02*	-5.16			
48 hour	0.09	0.12	0.03*	-10.42			
72 hour	0.13	0.11	0.02*	2.61			

Effects of laminar and turbulent flow on the detachment of L. pneumophila							
Exposed to shear forces	OD 1	OD 2	Difference in OD	<i>t</i> -value			
Turbulent (1) vs laminar flow (2)	0.01	0.07	0.06*	-16.19			
Turbulent (1) vs no flow (2)	0.01	0.22	0.21*	-37.65			
Laminar (1) vs no flow (2)	0.07	0.22	0.15*	-22.46			

OD - optical density of CV dye; *p<0.05

flow conditions adhesion kept increasing with incubation time. Under laminar flow, it dropped at 72 h, which suggests that the bacterial cells most likely detached themselves from the surface. This was also observed by Teodósio et al. (34), who reported that microbial detachment from a surface depends on the magnitude and direction of detachment forces, and by Liu and Li (35), who established that fluid flow can be one of the main causes of biofilm detachment. Bakker et al. (36) reported that shear stress between 6 and 8 Pa was sufficient to prevent adhesion of *P. fluorescens* to stainless steel and that a wall shear stress of 12 Pa could remove the attached cells.

Laminar and turbulent flow effects on bacterial detachment

The third experiment determined the effect of shear forces on the detachment of L. pneumophila that had previously adhered to surfaces. Figure 4 shows that turbulent flow, which generates very strong shear forces, removed almost all the bacterial cells from the metal surfaces. The less intensive rinsing with laminar flow also detached significantly more bacteria from coupon surface than no flow at all. Table 1 shows differences in detachment between turbulent flow, laminar flow, and no flow. They were significant between turbulent and no flow, laminar and no flow, and between laminar and turbulent flow. Our earlier study (31) showed that laminar and turbulent flow can remove between 80 % and 90 % of bacterial population from material surface. Combined with a washing agent at 37 °C turbulent flow can remove more than 95 % of bacteria. Choi and Morgenroth (37) studied the impact of shear stress on a mixed-culture biofilm and found that a sudden increase in shear stress also caused significant detachment of bacteria from the biofilm.

CONCLUSIONS

Our findings show that laminar flow promotes the growth of *L. pneumophila*, although some of the research

indicates that no-flow conditions are more favourable. Therefore, dead legs in water supply systems do not present as much of a problem as we have thought. Instead, we should pay more attention to laminar flow, as it seems to favour bacterial adhesion to surfaces, but only in the first 48 hours. After 72 hours, bacterial cells start to detach.

In no-flow conditions biofilm continued to form throughout the 72 hours. Bacteria in the pieces of a detached biofilm can reattach to new surfaces downstream of the system. Moreover, in the third experiment, we have demonstrated that turbulent and laminar flow significantly detach *L. pneumophila* from surfaces. These results indicate that shear forces can be used to remove bacterial cells from water supply systems. In fact, they are already being used in food and pharmaceutical industry, and such a system is known as "cleaning-in-place" (CIP). Our future research will focus on the most efficient methods for biofilm removal in water supply systems.

Acknowledgments

The authors wish to thank Goran Dražić and his team from the Institute Jožef Stefan in Ljubljana for providing the Zetasizer Nano ZS to measure the zeta potential and the company Iskra Pio, Šentjernej for providing the coupons.

REFERENCES

- Heng BH, Goh KT, Ng DL, Ling AE. Surveillance of legionellosis and *Legionella* bacteria in the built environment in Singapore. Ann Acad Med Singapore 1997;6:557-65. PMID: 9494658
- Den Boer JW, Yzerman EPF, Schellekens J, Lettinga KD, Boshuizen, HC, Van Steenbergen JE, Bosman A, Van den Hof S, Van Vliet HA, Peeters MF, Van Ketel RJ, Speelman P, Kool JL, Van Spaendonck MAEC. A large outbreak of Legionnaires' disease at a flower show, the Netherlands, 1999. Emerg Infect Dis 2002; 8:37-43. PMCID: PMC2730281
- Greig JE, Carnie JA, Tallis GF, Ryan NJ, Tan AG, Gordon IR, Zwolak B, Leydon JA, Guest CS, Hart WG. An outbreak of Legionnaires' disease at the Melbourne Aquarium, April

- 2000: investigation and case-control studies. Med J Australia 2004; 180: 566-72. PMID: 15174987
- Fliermans CB, Cherry WB, Orrison LH, Smith SJ, Tison DL, Pope SH. Ecological distribution of *Legionella pneumophila*. Appl Environ Microbiol 1981;41:9-16. PMCID: PMC243633
- Surman-Lee S, Fields B, Hornei B, Ewig S, Exner M, Tartakovsky I, Lajoie L, Dangendorf F, Bentham R, Cabanes PA, Fourrier P, Trouvet T, Wallet F. Ecology and environmental sources of *Legionella*. In: Bartram J, Chartier Y, Lee JV, Pond K, Surman-Lee S, editors. Legionella and the prevention of legionellosis. 1st ed. Geneva: WHO Press; 2007. p. 29-38.
- Rendueles O, Ghigo JM. Multi-species biofilms: how to avoid unfriendly neighbors. FEMS Microbiol Rev 2012;36:972-89. doi: 10.1111/j.1574-6976.2012.00328.x
- Costerton JW, Stewart PS, Greenberg EP. Bacterial biofilms: a common cause of persistent infections. Science 1999;284:1318-22. doi: 10.1126/science.284.5418.1318
- Stewart PS, Costerton JW. Antibiotic resistance of bacteria in biofilms. Lancet 2001;358:135-8. doi: 10.1016/S0140-6736(01)05321-1
- Coquet L, Cosette P, Junter GA, Beucher E, Saiter JM, Jouenne T. Adhesion of Yersinia ruckeri to fish farm materials: influence of cell and material surface properties. Colloids Surf B 2002;26:373-8. doi: 10.1016/S0927-7765(02)00023-1
- Teixeira P, Silva S, Araújo F, Azeredo J, Oliveira R. Bacterial adhesion to food contacting surfaces. In: Mendez-Vilas A, editor. Communicating current research and educational topics and trends in applied microbiology. Vol. 1. Formatex, 2007. p. 13-20.
- Rogers J, Dowsett AB, Dennis PJ, Lee JV, Keevil CW. Influence of plumbing materials on biofilm formation and growth of *Legionella pneumophila* in potable water systems. Appl Environ Microbiol 1994;60:1842-51. PMCID: PMC201571
- Türetgen I, Cotuk A. Monitoring of biofilm-associated Legionella pneumophila on different substrata in model cooling tower system. Environ Monit Assess 2007;125:271-9. doi: 10.1007/s10661-006-9519-8
- 13. Moritz MM, Flemming H, Wingender J. Integration of *Pseudomonas aeruginosa* and *Legionella pneumophila* in drinking water biofilms grown on domestic plumbing materials. Int J Hyg Environ Heal 2010;213:190-7. doi: 10.1016/j.ijheh.2010.05.003
- Vickery K, Pajkos A, Cossart Y. Removal of biofilm from endoscopes: Evaluation of detergent efficiency. Am J Infect Control 2004;32:170-6. doi: 10.1016/j.ajic.2003.10.009
- Katsikogianni M, Missirlis YF. Concise review of mechanisms of bacterial adhesion to biomaterials and of techniques used in estimating bacteria-material interactions. Eur Cells Mater 2004;8:37-57. PMID: 15593018
- 16. Di Bonaventura G, Piccolomini R, Paludi D, D'Orio V. Influence of temperature on biofilm formation by *Listeria monocytogenes* on various food-contact surfaces: relationship with motility and cell surface hydrophobicity. J Appl Microbiol 2008; 104:1552-61. doi: 10.1111/j.1365-2672.2007.03688.x
- 17. Simões LC, Simões M, Oliveira R, Vieira MJ. Potential of the adhesion of bacteria isolated from drinking water to materials. J Basic Microbiol 2007;47:174-83. doi: 10.1002/jobm.200610224

- Liu Y, Tay JH. Metabolic response of biofilm to shear stress in fixed-film culture. J Appl Microbiol 2001;90:337-42. doi: 10.1046/j.1365-2672.2001.01244.x
- Stoodley P, Lewandowski Z, Boyle JD, Lappin-Scott HM. Structural deformation of bacterial biofilms caused by short term fluctuations in flow velocity: an in-situ demonstration of biofilm viscoelasticity. Biotechnol Bioeng 1999;65:83-92. doi: 10.1002/(SICI)1097-0290(19991005)65:1<83::AID-BIT10>3.0.CO;2-B
- Joseph C, Lee J, van Wijngaarden J, Drasar V, Castellani-Pastoris M. European Guidelines for the control and prevention of travel associated legionnaires' disease (Draft). EWGLI – EC DG Health and Consumer Protection. Junij 2001:1-66.
- Winn WC Jr. Legionnaires disease: historical perspective. Clin Microbiol Rev 1988;1:60-81. PMCID: PMC358030
- 22. Brenner DJ, Feeley JC, Weaver RE. Family VIII *Legionellaceae*. In: Krieg NR, Holt JG, editors. Bergey's manual of systematic bacteriology. 2nd ed. Baltimore (MD); Williams and Wilkins; 1984. p. 210-36.
- 23. ISO 11731:1998. Water quality Detection and enumeration of *Legionella*.
- Lage OM, Bondoso J, Catita JAM. Determination of zeta potential in *Planctomycetes* and its application in heavy metal toxicity assessment. Arch Microbiol 2012;194:847-55. doi: 10.1007/s00203-012-0818-x
- Heimenz PC, Rajagopalan R. Principles of Colloid and Surface Chemistry. 3rd edition. New York (NY): CRC Press; 1997.
- Bohinc K, Dražič G, Fink R, Oder M, Jevšnik M, Nipič D, Godič Torkar K, Raspor P. Available surface dictates microbial adhesion capacity. Int J Adhes Adhes 2014;50:65-272. doi: 10.1016/j.ijadhadh.2014.01.027
- Van Loosdrecht M, Norde W, Zehnder A. Physical chemical description of bacterial adhesion. J Biomater Appl 1990;5: 91-106 10.1177/088532829000500202
- Kochkodan V, Tsarenko S, Potapchenko N, Kosinova V, Goncharuk V. Adhesion of microorganisms to polymer membranes: a photobactericidal effect of surface treatment with TiO2. Desalination 2008;220:380-385. doi:10.1016/j. desal.2007.01.042
- Giaouris E, Chapot-Chartier M, Briandet R. Surface physicochemical analysis of natural *Lactococcus lactis* strains reveals the existence of hydrophobic and low charged strains with altered adhesive properties. Int J Food Microbiol 2009;131:2-9. doi:10.1016/j.ijfoodmicro.2008.09.006
- 30. Kurinčič M, Jeršek B, Klančnik A, Smole Možina S, Fink R, Dražić G, Raspor P, Bohinc K. Effects of natural antimicrobials on bacterial cell hydrophobicity, adhesion, and zeta potential. Arh Hig Rada Toksikol 2016;67:37-43. doi: 10.1515/aiht-2016-67-2720
- 31. Fink R, Oder M, Rangus D, Raspor P, Bohinc K. Microbial adhesion capacity. Influence of shear and temperature stress. Int J Environ Health Res 2014;25:656-69. doi: 10.1080/09603123.2015.1007840
- 32. Rosenberg M, Kjelleberg S. Hydrophobic interactions in bacterial adhesion. In: Marshal KC, editor. Advances in microbial ecology. 1st ed. New York (NY): Springer Science Busines Media; 1986. p. 353-93.
- 33. Corpe W. Microbial surface components involved in adsorption of microorganisms onto surfaces. In: Bitton G, Marshall KC, editors. Adsorption of microorganisms to

- surfaces. New York (NY): John Wiley & Sons, Inc.; 1980. p. 105-44.
- Teodósio JS, Simões M, Melo LF, Mergulhão FJ. Flow cell hydrodynamics and their effects on E.coli biofilm formation under different nutrient conditions and turbulent flow. Biofouling 2011;27:1-11. doi: 10.1080/08927014.2010. 535206
- Liu Y, Li J. Role of Pseudomonas aeruginosa biofilm in the initial adhesion, growth and detachment of *Escherichia coli* in porous media. Environ Sci Technol 2008;42:443-9. doi: 10.1021/es071861b
- Bakker DP, van der Mats A, Verkerke GJ, Busscher HJ, van der Mei HC. Comparison of velocity profiles for different flow chamber designs used in studies of microbial adhesion to surfaces. Appl Environ Microbiol 2003;69:6280-7. doi: 10.1128/AEM.69.10.6280-6287.2003
- 37. Choi YC, Morgenroth E. Monitoring biofilm detachment under dynamic changes in shear stress using laser-based particle size analysis and mass fractionation. Water Sci Technol 2003;47:69-76. PMID: 12701909

Vpliv strižnih sil na adhezijo bakterije Legionella pneumophila

Oprijem bakterijskih celic je kompleksen proces, ki je odvisen od mnogih dejavnikov, kot so hidrodinamični pogoji, ki vplivajo tudi na prenos kisika, hranila in tudi bakterijskih celice po sistemu. Cilj te raziskave je bil analizirati vpliv hidrodinamičnih pogojev na bakterijsko razmnoževanje, na adhezijo bakterij na površine in na odcepljanje celic iz površin iz nerjavnega jekla. Opazovali smo bakterije v pogojih brez toka in v dinamičnih pogojih. Uporabili smo sistem pretočne komore, ki simulira laminarni in turbulentni tok. Razmnoževanje bakterij je bilo v pogojih brez toka in v pogojih z laminarnim tokom prvih 24 ur in 48 ur skoraj enako, po 72 urah inkubacije pa je laminarni tok pozitivno vplival na bakterijsko razmnoževanje. V drugem delu naše raziskave smo ugotovili, da laminarni tok pospešuje bakterijsko adhezijo prvih 48 ur, po 72 urah pa je količina oprijetih bakterijskih celic, ki so bile izpostavljene laminarnemu toku manjša, v primerjavi s tistimi, ki so bile v pogojih brez toka. Predvidevamo, da je prišlo do odcepljanja celic iz površin. V tretjem delu raziskave smo ugotovili, da je turbulentni tok odstranil bistveno več bakterijskih celic iz površin kot laminarni tok (p<0.05), kar kaže na to, da moč strižnih sil določa stopnjo odstranjenih bakterijskih celic.